



## United States Price List

Valid from Dec 13, 2007

Prices may change without notice.

Data Loggers.....	2
SmartReader.....	2
SmartReader Plus.....	2
JR.....	4
Owl.....	4
Nautilus.....	4
SmartButton.....	4
PowerWatch.....	4
Miscellaneous Loggers and Monitors.....	4
Software & Manuals.....	6
TrendReader Express.....	6
TrendReader 2.....	6
PowerWatch.....	7
SmartButton Software.....	7
Software Developer Kits.....	7
Miscellaneous.....	7
Communication & Networking.....	8
Logger To PC Interfaces Cables.....	8
Logger Networking - SmartReader Plus.....	8
Telephony Communication.....	9
Custom Network Wire Extensions.....	9
Sensors.....	10
Electrical - AC Current Family.....	10
Electrical - Voltage.....	10
Temperature - Thermistor Type.....	10
Temperature - Thermocouple Type.....	11
Relative Humidity.....	11
Pressure.....	11
Sensor Wiring Extensions.....	11
Miscellaneous.....	13
Mounting Hardware.....	13
Display Modules.....	13
Environmental Protection.....	13
Alarms.....	13
Adapters and Connectors.....	13
Hose.....	14
Storage.....	14
Wiring.....	14
Power Supplies.....	14
Batteries.....	14
Calibration Services.....	15
Single Channel Calibration.....	15
Miscellaneous Calibration.....	15
Hardware Upgrades.....	16
ACR Data Loggers.....	16



SmartReader

	Catalog Page #	List Price
01-0024... <b>SmartReader 1 - 32 KB</b> Two channel, 8 bit, 32 KB data logger (One ambient temperature and one external temperature channel).....	16	\$465.00
01-0025... <b>SmartReader 2 - 32 KB</b> Four channel, 8 bit, 32 KB data logger (One ambient temperature and RH channel and one external temperature and RH channel).....	16	\$860.00
01-0026... <b>SmartReader 3 - 32 KB</b> Four channel, 8 bit, 32 KB data logger (One ambient temperature and three AC current channels).....	17	\$680.00
01-0027... <b>SmartReader 4 - 32 KB</b> Five channel, 8 bit, 32 KB data logger (One ambient temperature, one pressure, one on-board RH and one external temperature and RH channel).....	17	\$740.00
01-0028... <b>SmartReader 5 - 32 KB</b> Three channel, 8 bit, 32 KB data logger (One ambient temperature and two thermocouple channels).....	18	\$479.00
01-0029... <b>SmartReader 6N - 32 KB</b> Seven channel, 8 bit, 32 KB data logger (One ambient temperature and six narrow range thermocouple channels).....	18	\$899.00
01-0030... <b>SmartReader 6W - 32 KB</b> Seven channel, 8 bit, 32 KB data logger (One ambient temperature and six wide range thermocouple channels).....	18	\$899.00
01-0031... <b>SmartReader 7 - 32 KB</b> Eight channel, 8 bit, 32 KB data logger (One ambient temperature and a 2.5, 5 (2 channels), 10, and 200mV DC channel plus two 0-25mA channels).....	19	\$885.00
01-0032... <b>SmartReader 7 - 25mA - 32 KB</b> Eight channel, 8 bit, 32 KB data logger (One ambient temperature and seven 0-25mA channels).....	19	\$920.00
01-0033... <b>SmartReader 7 - 2.5V - 32 KB</b> Eight channel, 8 bit, 32 KB data logger (One ambient temperature and seven 0-2.5V DC channels).....	19	\$920.00
01-0034... <b>SmartReader 7 - 5V - 32 KB</b> Eight channel, 8 bit, 32 KB data logger (One ambient temperature and seven 0-5V DC channels).....	19	\$920.00
01-0041... <b>SmartReader 7 - 10V - 32 KB</b> Eight channel, 8 bit, 32 KB data logger (One ambient temperature and seven 0-10V DC channels).....	19	\$920.00
01-0036... <b>SmartReader 8 - 32 KB</b> Eight channel, 8 bit, 32 KB data logger (One ambient temperature and seven external temperature channels).....	20	\$815.00
01-0037... <b>SmartReader 9 - 32 KB</b> Two channel, 8 bit, 32 KB data logger (One ambient temperature and two pulse rate/frequency channels).....	20	\$695.00

SmartReader Plus

	Catalog Page #	List Price
01-0008... <b>SmartReader Plus 1 - 32 KB</b> Two channel, 12 bit, 32 KB data logger (One ambient temperature and one external temperature channel).....	7	\$565.00
01-0112... <b>SmartReader Plus 1 - 128 KB</b> Two channel, 12 bit, 128 KB data logger (One ambient temperature and one external temperature channel).....	7	\$715.00
01-0141... <b>SmartReader Plus 1 - 1.5 MB</b> Two channel, 12 bit, 1.5 MB data logger (One ambient temperature and one external temperature channel).....	7	\$1,085.00
01-0113... <b>SmartReader Plus 2 - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature and RH channel and one external temperature and RH channel).....	7	\$1,045.00
01-0010... <b>SmartReader Plus 3 - 32 KB</b> Eight channel, 12 bit, 32 KB data logger (One ambient temperature, four AC current and three 0-5V DC channels).....	8	\$910.00
01-0114... <b>SmartReader Plus 3 - 128 KB</b> Eight channel, 12 bit, 128 KB data logger (One ambient temperature, four AC current and three 0-5V DC channels).....	8	\$1,060.00
01-0143... <b>SmartReader Plus 3 - 1.5 MB</b> Eight channel, 12 bit, 1.5 MB data logger (One ambient temperature, four AC current and three 0-5V DC channels).....	8	\$1,625.00
01-0310... <b>SmartReader Plus 4 - LPD-0.5 - 32 KB</b> Two channel, 12 bit, 32 KB data logger (One ambient temperature and one +/- 0.5 W.C. channel).....	10	\$950.00
01-0311... <b>SmartReader Plus 4 - LPD-1 - 32 KB</b> Two channel, 12 bit, 32 KB data logger (One ambient temperature and one +/- 1" W.C. channel).....	10	\$950.00
01-0312... <b>SmartReader Plus 4 - LPD-2 - 32 KB</b> Two channel, 12 bit, 32 KB data logger (One ambient temperature and one +/- 2" W.C. channel).....	10	\$950.00
01-0313... <b>SmartReader Plus 4 - LPD-5 - 32 KB</b> Two channel, 12 bit, 32 KB data logger (One ambient temperature and one +/- 5" W.C. channel).....	10	\$950.00
01-0314... <b>SmartReader Plus 4 - LPD-10 - 32 KB</b> Two channel, 12 bit, 32 KB data logger (One ambient temperature and one +/- 10" W.C. channel).....	10	\$950.00
01-0090... <b>SmartReader Plus 4 - 10"WC - 32 KB</b> Four channel, 12 bit, 32 KB data logger (One ambient temperature, one 0-10" W.C., plus an external temperature and RH channel).....	9	\$950.00
01-0120... <b>SmartReader Plus 4 - 10"WC - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature, one 0-10" W.C., plus an external temperature and RH channel).....	9	\$1,230.00
01-0091... <b>SmartReader Plus 4 - 5G - 32 KB</b> Four channel, 12 bit, 32 KB data logger (One ambient temperature, one 0-5 PSI gauge, plus an external temperature and RH channel).....	9	\$1,080.00
01-0115... <b>SmartReader Plus 4 - 5G - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature, one 0-5 PSI gauge, plus an external temperature and RH channel).....	9	\$1,230.00
01-0093... <b>SmartReader Plus 4 - 30G - 32 KB</b> Four channel, 12 bit, 32 KB data logger (One ambient temperature, one 0-30 PSI gauge, plus an external temperature and RH channel).....	9	\$1,080.00

01-0117...	<b>SmartReader Plus 4 - 30G - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature, one 0-30 PSI gauge, plus an external temperature and RH channel).....	9	\$1,230.00
01-0092...	<b>SmartReader Plus 4 - 30A - 32 KB</b> Four channel, 12 bit, 32 KB data logger (One ambient temperature, one 0-30 PSI absolute, plus an external temperature and RH channel).....	9	\$1,080.00
01-0116...	<b>SmartReader Plus 4 - 30A - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature, one 0-30 PSI absolute, plus an external temperature and RH channel).....	9	\$1,230.00
01-0095...	<b>SmartReader Plus 4 - 100G - 32 KB</b> Four channel, 12 bit, 32 KB data logger (One ambient temperature, one 0-100 PSI gauge, plus an external temperature and RH channel).....	9	\$1,080.00
01-0119...	<b>SmartReader Plus 4 - 100G - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature, one 0-100 PSI gauge, plus an external temperature and RH channel).....	9	\$1,230.00
01-0094...	<b>SmartReader Plus 4 - 100A - 32 KB</b> Four channel, 12 bit, 32 KB data logger (One ambient temperature, one 0-100 PSI absolute, plus an external temperature and RH channel).....	9	\$1,080.00
01-0118...	<b>SmartReader Plus 4 - 100A - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature, one 0-100 PSI absolute, plus an external temperature and RH channel).....	9	\$1,230.00
01-0097...	<b>SmartReader Plus 4 - 150G - 32 KB</b> Four channel, 12 bit, 32 KB data logger (One ambient temperature, one 0-150 PSI gauge, plus an external temperature and RH channel).....	9	\$1,080.00
01-0139...	<b>SmartReader Plus 4 - 150G - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature, one 0-150 PSI gauge, plus an external temperature and RH channel).....	9	\$1,230.00
01-0012...	<b>SmartReader Plus 5 - 32 KB</b> Three channel, 12 bit 32 KB data logger (One ambient temperature and two external thermocouple channels).....	11	\$600.00
01-0121...	<b>SmartReader Plus 5 - 128 KB</b> Three channel, 12 bit, 128 KB data logger (One ambient temperature and two external thermocouple channels).....	11	\$780.00
01-0013...	<b>SmartReader Plus 6 - 32 KB</b> Eight channel, 12 bit, 32 KB data logger (One ambient temperature and seven external thermocouple channels).....	11	\$1,175.00
01-0122...	<b>SmartReader Plus 6 - 128 KB</b> Eight channel, 12 bit, 128 KB data logger (One ambient temperature and seven external thermocouple channels).....	11	\$1,275.00
01-0151...	<b>SmartReader Plus 6 - 1.5 MB</b> Eight channel, 12 bit, 1.5 MB data logger (One ambient temperature and seven external thermocouple channels).....	11	\$1,625.00
01-0014...	<b>SmartReader Plus 7 - 32 KB</b> Eight channel, 12 bit, 32 KB data logger (One ambient temperature and a 2.5, 5 (2 channels), 10 and 200 mV DC channel plus two 0-25 mA channels).....	12	\$1,175.00
01-0123...	<b>SmartReader Plus 7 - 128 KB</b> Eight channel, 12 bit, 128 KB data logger (One ambient temperature and a 2.5, 5 (2 channels), 10, and 200 mV DC channel plus two 0-25 mA channels).....	12	\$1,275.00
01-0152...	<b>SmartReader Plus 7 - 1.5 MB</b> Eight channel, 12 bit, 1.5 MB data logger (One ambient temperature and a 2.5, 5 (2 channels), 10, and 200 mV DC channel plus two 0-25 mA channels).....	12	\$1,625.00
01-0018...	<b>SmartReader Plus 7 - 2.5V - 32 KB</b> Eight channel, 12 bit, 32 KB data logger (One ambient temperature and seven external 0-2.5V DC channels).....	12	\$1,175.00
01-0127...	<b>SmartReader Plus 7 - 2.5V - 128 KB</b> Eight channel, 12 bit, 128 KB data logger (One ambient temperature and seven external 0-2.5V DC channels).....	12	\$1,290.00
01-0107...	<b>SmartReader Plus 7 - 5V - 32 KB</b> Eight channel, 12 bit, 32 KB data logger (One ambient temperature and seven external 0-5V DC channels).....	12	\$1,175.00
01-0124...	<b>SmartReader Plus 7 - 5V - 128 KB</b> Eight channel, 12 bit, 128 KB data logger (One ambient temperature and seven external 0-5V DC channels).....	12	\$1,290.00
01-0154...	<b>SmartReader Plus 7 - 5V - 1.5 MB</b> Eight channel, 12 bit, 1.5 MB data logger (One ambient temperature and seven external 0-5V DC channels).....	12	\$1,625.00
01-0020...	<b>SmartReader Plus 7 - 10V - 32 KB</b> Eight channel, 12 bit, 32 KB data logger (One ambient temperature and seven external 0-10V DC channels).....	12	\$1,175.00
01-0125...	<b>SmartReader Plus 7 - 10V - 128 KB</b> Eight channel, 12 bit, 128 KB data logger (One ambient temperature and seven external 0-10V DC channels).....	12	\$1,290.00
01-0155...	<b>SmartReader Plus 7 - 10V - 1.5 MB</b> Eight channel, 12 bit, 1.5 MB data logger (One ambient temperature and seven external 0-10V DC channels).....	12	\$1,625.00
01-0017...	<b>SmartReader Plus 7 - 25mA - 32 KB</b> Eight channel, 12 bit, 32 KB data logger (One ambient temperature and seven external 0-25 mA DC channels).....	12	\$1,175.00
01-0126...	<b>SmartReader Plus 7 - 25mA - 128 KB</b> Eight channel, 12 bit, 128 KB data logger (One ambient temperature and seven external 0-25 mA DC channels).....	12	\$1,290.00
01-0156...	<b>SmartReader Plus 7 - 25mA - 1.5 MB</b> Eight channel, 12 bit, 1.5 MB data logger (One ambient temperature and seven external 0-25 mA DC channels).....	12	\$1,625.00
01-0015...	<b>SmartReader Plus 8 - 32 KB</b> Eight channel, 12 bit, 32 KB data logger (One ambient temperature and seven external temperature channels).....	13	\$1,070.00
01-0129...	<b>SmartReader Plus 8 - 128 KB</b> Eight channel, 12 bit, 128 KB data logger (One ambient temperature and seven external temperature channels).....	13	\$1,225.00
01-0158...	<b>SmartReader Plus 8 - 1.5 MB</b> Eight channel, 12 bit, 1.5 MB data logger (One ambient temperature and seven external temperature channels).....	13	\$1,625.00
01-0016...	<b>SmartReader Plus 9 - 32 KB</b> Two channel, 12-bit, 32 KB data logger (Two external pulse rate/frequency channels).....	13	\$900.00
01-0130...	<b>SmartReader Plus 9 - 128 KB</b> Two channel, 12-bit, 128 KB data logger (Two external pulse rate/frequency channels).....	13	\$1,050.00
01-0132...	<b>SmartReader Plus 10 - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature and three external RTD temperature channels).....	14	\$1,050.00
01-0133...	<b>Conservation Logger - 128 KB</b> Four channel, 12 bit, 128 KB data logger (One ambient temperature and RH channel, two external 0-5 V DC channels, LED).....	30	\$1,050.00

<b>JR</b>		<b>Catalog Page #</b>	<b>List Price</b>
01-0192...	<b>JR 1000 &amp; Interface Package</b> Single channel, 8 bit, 32 KB data logger (One ambient temperature channel). Includes software and manual.....	22	\$190.00
01-0193...	<b>JR 1001</b> Single channel, 8 bit, 32 KB data logger (One ambient temperature channel). UL Intrinsically safe. Includes software and manual.....	22	\$355.00

<b>Owl</b>		<b>Catalog Page #</b>	<b>List Price</b>
01-0050...	<b>Owl 100 - Temperature - Water Resistant</b> Single channel, 8 bit, 32 KB data logger (One ambient temperature channel - water resistant enclosure).....	25	\$450.00
01-0250...	<b>Owl 100 - Temperature</b> Single channel, 8 bit, 32 KB data logger (One ambient temperature channel).....	25	\$350.00
01-0251...	<b>Owl 200 - External Temperature</b> Single channel, 8 bit, 32 KB data logger (One external temperature channel).....	25	\$350.00
01-0252...	<b>Owl 300 - Electric Current AC</b> Single channel, 8 bit, 32 KB data logger (One AC electric current channel).....	26	\$350.00
01-0253...	<b>Owl 400 - DC Voltage</b> Single channel, 8 bit, 32 KB data logger (One 0-38.4V DC channel).....	26	\$350.00
01-0254...	<b>Owl 500 - DC Current</b> Single channel, 8 bit, 32 KB data logger (One 0-24 mA channel).....	27	\$350.00

<b>Nautilus</b>		<b>Catalog Page #</b>	<b>List Price</b>
01-0261...	<b>Nautilus 85 - Aluminum</b> Single channel, 8 bit, 32 KB data logger (One 85°C (185°F) temperature channel - extreme environmental and pressure resistant aluminum enclosure).....	23	\$279.00
01-0262...	<b>Nautilus 85 - Stainless</b> Single channel, 8 bit, 32 KB data logger (One 85°C (185°F) temperature channel - extreme environmental and pressure resistant stainless enclosure).....	23	\$359.00
01-0263...	<b>Nautilus 135 - Aluminum</b> Single channel, 8 bit, 32 KB data logger (One 135°C (275°F) temperature channel - extreme environmental and pressure resistant aluminum enclosure).....	23	\$399.00
01-0264...	<b>Nautilus 135 - Stainless</b> Single channel, 8 bit, 32 KB data logger (One 135°C (275°F) temperature channel - extreme environmental and pressure resistant stainless enclosure).....	23	\$459.00

<b>SmartButton</b>		<b>Catalog Page #</b>	<b>List Price</b>
01-0181...	<b>SmartButton Starter Pack</b> One SmartButton, software on CD, interface cable and mini-manual.....	28	\$120.00
01-0180...	<b>SmartButton</b> Single channel, 8-bit, 2 KB data logger.....	28	\$55.00
<i>*Notes for SmartButton /</i>			
<i>1. Special pricing available for quantities 50-100, 125-250, 275-500, and 500-1000.</i>			

<b>PowerWatch</b>		<b>Catalog Page #</b>	<b>List Price</b>
01-0205...	<b>PowerWatch - Australian 220V</b> Power quality analyzer/event recorder (220 Volt, Australian plug style).....	32	\$640.00
01-0215...	<b>PowerWatch - European Shuko 220V</b> Power quality analyzer/event recorder (220 Volt, European Shuko plug style).....	32	\$640.00
01-0066...	<b>PowerWatch - North American 120V</b> Power quality analyzer/event recorder (120 Volt, North American plug style).....	32	\$599.00
01-0200...	<b>PowerWatch - United Kingdom 220V</b> Power quality analyzer/event recorder (220 Volt, United Kingdom plug style).....	32	\$640.00

<b>Miscellaneous Loggers and Monitors</b>		<b>Catalog Page #</b>	<b>List Price</b>
<b>TRH</b>			
01-0194...	<b>TRH-1000</b> 2-channel, 8 bit, 64 KB data logger (One ambient temperature and one ambient RH channel). Includes software and extension cable.....	21	\$299.00
<b>IAQ</b>			
01-0328...	<b>IAQ-102 System</b> CO2 monitor with temperature, RH and CO2 8 bit, 32 KB data logger, software and USB Interface cable and harness.....	31	\$1,850.00
01-0338...	<b>IAQ-101 System</b> CO2 monitor with temperature, RH and CO2 8 bit, 32 KB data logger, software and serial interface cable and harness.....	31	\$1,840.00
01-0340...	<b>SR-IAQ</b> Five channel, 8 bit, 32 KB data logger (One ambient temperature and RH, one CO2, and one external RH & Temperature Channel).....	31	\$885.00
35-0034...	<b>Telaire-7001</b> CO2 monitor. Logger sold separately.....	31	\$772.00

## Multi-Gas

01-0337...	<b>ACR-205</b>	Multi-gas monitor with built-in display and data logger. Five channels: temperature & RH and 3 spare channels for other gasses. Complete with carrying case and software pack	29	\$3,072.00
01-0332...	<b>ACR-205-4</b>	Multi-gas monitor with built-in display and data logger. Five channels: temperature, RH, CO2, CO, and 1 spare channel for other gas. Complete with carrying case and software	29	\$3,560.40
01-0333...	<b>ACR-205-ABK</b>	Multi-gas monitor with built-in display and data logger. Five channels: temperature, RH, CO2, CO, and NO2. Complete with carrying hard case and software package.....	29	\$4,066.80



### TrendReader Express

Catalog Page # List Price

#### Complete Interface Packages (Full Install Versions)

01-0274...	<b>TR Exp/Naut. Interface Pkg w/IC-102</b> Software on CD, USB interface cable, and manual in PDF format for Nautilus data loggers.....	35	\$160.00
01-0275...	<b>TR Exp/Naut. Interface Pkg w/IC-101</b> Software on CD, serial port interface cable, and manual in PDF format for Nautilus data loggers.....	35	\$140.00

#### Software Only

34-0018...	<b>TrendReader Express - Value Upgrade</b> Latest version of TrendReader Express on CD. Requires any version of JR, BTL, or TrendReader Standard software.....	n/a	\$89.00
34-0017...	<b>TrendReader Express - Full Install</b> Latest version of TrendReader Express on CD. No previous ACR software required.....	35	\$99.00

*\*Notes for TrendReader Express / Software Only*

1. TrendReader Express includes a PDF format manual that can be printed. A windows help file is also included.
2. Demo and Update builds - No charge if downloaded online. To order on CD or 3.5" disk, see "Miscellaneous" at bottom of this section.

#### Manuals Only

37-0023...	<b>TrendReader Express Manual</b> Printed manual plus binder. Does not include any product information.....	n/a	\$50.00
------------	--	-----	---------

#### Licenses

34-0028...	<b>TR Exp 1-5 Multi-Site License(s)</b> Each Full Install license permits installation of TrendReader Express on one (1) additional PC.....	n/a	\$79.00
------------	--	-----	---------

*\*Notes for TrendReader Express / Licenses*

- TR Exp 6-25 Multi-Site Licenses. Call for price.
- TR Exp 26-50 Multi-Site Licenses. Call for price.
- TR Exp 50+ Multi-Site Licenses. Call for price.

### TrendReader 2

Catalog Page # List Price

#### Complete Interface Packages (Full Install Versions)

01-0226...	<b>TrendReader 2 Interface Pkg (IC-102)</b> Software on CD & USB Interface cable for SR & SRP data loggers.....	34	\$240.00
01-0225...	<b>TrendReader 2 Interface Pkg (IC-101)</b> Software on CD & Serial Port Interface cable for SR/SRP data loggers.....	34	\$230.00
01-0227...	<b>TrendReader 2 Interface Pkg LIC-101</b> Software on CD, Interface cable, 9-25 pin serial adaptor for OWL data loggers.....	34	\$230.00

#### Software Only

01-0228...	<b>TrendReader 2 on CD Full Install</b> Latest version of TrendReader 2 on CD. No previous ACR software required.....	34	\$130.00
01-0229...	<b>TrendReader 2 Upgrade on CD</b> Latest version of TrendReader 2 on CD. Requires a previous version of TrendReader Standard.....	34	\$110.00

*\*Notes for TrendReader 2 / Software Only*

1. To order other media, see "Miscellaneous" at bottom of this section.

#### Plug-Ins

01-0076...	<b>TalkBack Software</b> Full install version of the latest version of TalkBack Alarm management software (3.5" disk).....	36	\$150.00
01-0073...	<b>RealTime Software</b> Full install version of the latest version of RealTime - live graphing software (3.5" disk).....	36	\$115.00

#### Licenses

91-0000...	<b>TrendReader 2 Full</b> Serial number for upgrade from trial version to full install (no CD required).....	n/a	\$119.00
91-0001...	<b>Trendreader 2 Upgrade</b> Serial number for upgrade from previous version of software (no CD required).....		\$99.00

*\*Notes for TrendReader 2 / Licenses*

- TR 2 6-25 Multi-Site Licenses. Call for price.
- TR 2 26-50 Multi-Site Licenses. Call for price.
- TR 2 50+ Multi-Site Licenses. Call for price.

## PowerWatch

Catalog Page # List Price

### Complete Interface Packages (Full Install Versions)

01-0060... **PowerWatch Interface Pkg** 33 \$140.00  
Software on a CD, interface cable and manual in PDF format.....

### Software Only

34-0004... **PowerWatch Software - Full Install** 33 \$75.00  
Latest version of PowerWatch Software. Manual included. No previous ACR software required.....

*\*Notes for PowerWatch / Software Only*

1. Software includes an abbreviated electronic help file for the software only - no hardware information. Printed manuals sold separately.

2. No charge if downloaded online. To order on CD or 3.5" disk, see "Miscellaneous" at bottom of this section.

### Manuals Only

37-0012... **PowerWatch Manual - Pages Only** 47 \$36.00  
Manual pages for the latest version of PowerWatch Software (8 x 11" binder not included).....

## SmartButton Software

Catalog Page # List Price

### Software Only

34-0010... **SmartButton Reader Sftw - Full Install** 35 \$45.00  
Latest version of SmartButton software. No previous ACR software required.....

*\*Notes for SmartButton Software / Software Only*

1. SmartButton Software includes a PDF format manual that can be printed. A windows help file is also included.

## Software Developer Kits

Catalog Page # List Price

01-0900... **SDK for SRP and Nautilus with Cable** 37 \$500.00  
Software on CD, Data Logger and Interface Cable, 90-day Technical Support. Specify Data Logger.....

01-0901... **SDK for JR-1000 and TRH-1000** 37 \$500.00  
Software on CD, Data Logger and 90-day Technical Support. Specify Data Logger.....

01-0902... **SDK for SRP (Evaluation Version)** n/a Call For Price  
Software on CD, Data Logger and 90-day Technical Support. Specify Data Logger.....

01-0903... **SDK for TRH-1000 (Evaluation Version)** n/a Call For Price  
Software on CD, Data Logger and 90-day Technical Support. Specify Data Logger.....

## Miscellaneous

Catalog Page # List Price

37-0003... **5 x 8.5" Documentation Binder** n/a \$20.00  
Standard ACR three-ring binder for all 5 x 8.5" product pages.....

37-0013... **8.5 x 11" Documentation Binder** n/a \$7.00  
Standard ACR three-ring binder for all 8.5 x 11" product pages.....



**Logger To PC Interfaces Cables**  
**Cables**

**Catalog Page # List Price**

01-0088...	<b>Logger-PC Interface Cable (IC-102)</b> USB port to logger interface cable. Compatible with SmartReader and SmartReader Plus loggers.....	44	\$143.00
01-0023...	<b>Lite-Link Logger-PC Int. Cable (LIC-101)</b> 9-pin PC serial port to logger interface cable. Compatible with Owl and PowerWatch loggers.....	44	\$125.00
01-0068...	<b>Logger-PC Interface Cable (IC-101)</b> 9-pin PC serial port to logger interface cable. Compatible with SmartReader and SmartReader Plus loggers.....	44,45	\$119.00
01-0085...	<b>8-Port Network Int. Cable-220V (IC-200)</b> PC serial port/modem to eight logger interface cable. Compatible with SmartReader loggers. For 220 volt, 50Hz systems.....	n/a	\$230.00
01-0065...	<b>8-Port Network Int. Cable-NPS (IC-200)</b> PC serial port/modem to eight logger interface cable. Compatible with SmartReader loggers. Requires a 5V DC power supply.....	n/a	\$230.00
01-0053...	<b>SmartButton Interface Cable</b> SmartButton logger to PC 9-pin serial port interface cable.....	35,47	\$45.00

*\*Notes for Logger To PC Interfaces Cables / Cables*

1. Order more than 10 SmartButton interface cables for discount pricing. Call ACR or your reseller for more information.

**Adapters**

18-0010...	<b>25-9 Pin Female-Male Serial Port Adapter</b> Converts 25 pin male serial port to a 9 pin male port.....	44	\$20.00
01-0075...	<b>USB-Serial Port Cable</b> Converts a USB port to a 9 pin serial port.....	44	\$42.00
01-0080...	<b>USB-Serial Converter for Owl</b>	n/a	\$42.00

**Extension Cables**

31-0017...	<b>9-Pin Serial Port Extension Cable (RoHS)</b> Extends the 9-pin serial port from the back of the PC to your desktop. 6' (2 meters).....	44	\$18.00
31-0009...	<b>Stereo Replacement Cable - 6'</b> Replacement 6' cable for old-style IC-101 cables with removable stereo cables. Male to male connection.....	44	\$6.00
31-0024...	<b>Stereo Cable Extension Cable - 25'</b> 20' stereo cable extension for an IC-101 cable, 8 port network interface cable, or SmartReader Plus stereo style network.....	38,44,45	\$10.00

**Logger Networking - SmartReader Plus**

**Catalog Page # List Price**

**Line Adapters & Splitters**

01-0166...	<b>Network Y Splitter-Telco (YA-201)</b> Allows a SmartReader Plus logger to be added to an ACR-Telco type network.....	45	\$24.00
01-0163...	<b>Network Test/Y Splitter-Telco (YAT-201)</b> Allows a SmartReader Plus logger to be added to an ACR-Telco type network. Includes an on-board network tester.....	n/a	\$180.00
31-0018...	<b>Network Y Splitter - Stereo N/C (YA-200)</b> Allows a SmartReader Plus logger to be added to an ACR-stereo type network. No 1' male to male adapter cable included.....	45	\$18.00
01-0098...	<b>Network Y Splitter - Stereo W/C (YA-200)</b> Allows a SmartReader Plus logger to be added to an ACR-stereo type network. Includes 1' male to male adapter cable.....	45	\$25.00

**Cabling**

31-0044...	<b>Telco/Logger Network Cable (Bulk)</b> Telco logger network cable. Compatible with SmartReader Plus networks. Sold in feet.....	38	\$0.50
31-0024...	<b>Stereo Cable Extension Cable - 25'</b> 20' stereo cable extension for an IC-101 cable, 8 port network interface cable, or SmartReader Plus stereo style network.....	38,44,45	\$10.00

**Power Supplies**

01-0165...	<b>Net/Fast Sample Power Supply - 120V N/A</b> 120V AC to 5V DC power supply for use with SmartReader Plus networks with minimum of three loggers or 50' of network cable.....	45	\$66.00
01-0164...	<b>Net/Fast Sample Power Supply - 220V EU</b> 220V AC to 5V DC power supply for use with SmartReader Plus networks with minimum of three loggers or 50' of network cable.....	45	\$76.00

## Telephony Communication

Catalog Page # List Price

### Modems

01-0300...	<b>Logger/Network Modem (Computer Station)</b> Pre-programmed, external PC Telco modem for communicating remotely with single or networked loggers. North American version.....	46	\$340.00
01-0301...	<b>Logger/Network Modem (Remote Station)</b> Pre-programmed, external remote Telco modem for communicating remotely with single or networked loggers. North American version.....	46	\$340.00

### Adapters

18-0023...	<b>Modem-Logger Int. Cable Adapter (MA-100)</b> Adapts the IC-101/LIC-101 logger interface cable for use with analog Telco modems.....	46	\$27.00
18-0010...	<b>25-9 Pin Female-Male Serial Port Adapter</b> Converts 25 pin male serial port to a 9 pin male port.....	44	\$20.00
01-0079...	<b>RFA Interface Cable for SmartReader Plus</b> DB9 pin male connector w/built in Null Modem for direct connection to 9 pin DCE devices (RF/Cellular Modems or Ethernet to Serial).....	n/a	\$69.00

### Telco To Modem Extension Cable

31-0044...	<b>Telco/Logger Network Cable (Bulk)</b> Telco logger network cable. Compatible with SmartReader Plus networks. Sold in feet.....	38	\$0.50
89-0000...	<b>Telephony Connector Installation</b> Installation of two Telco RJ-11 connectors on both ends. Compatible with modem to Telco systems only. Order cable separately.....	n/a	\$25.00

## Custom Network Wire Extensions

Catalog Page # List Price

### Logger Network Cable (Stereo)

31-0007...	<b>Stereo Logger Network Cable (Bulk)</b> Shielded 2 wire stereo cable. Compatible with SmartReader and SmartReader Plus Networks. Sold in feet.....	43	\$0.28
89-0001...	<b>Network Stereo Connector Installation</b> Installation of one male and one female stereo connector. Order cable separately.....	n/a	\$25.00

### Logger Network Cable (Telco)

31-0044...	<b>Telco/Logger Network Cable (Bulk)</b> Telco logger network cable. Compatible with SmartReader Plus networks. Sold in feet.....	38	\$0.50
89-0002...	<b>Logger Network Telco Connector Install</b> Installation of two Telco RJ-11 connectors on both ends. Compatible with logger networking only. Order cable separately.....	n/a	\$25.00

**Electrical - AC Current Family**
**Catalog Page # List Price**
**SmartReader, SmartReader Plus**

35-0004...	<b>AC Current Probe - 0 to 250 Amps, 60 Hz</b> User-selectable, 60 Hz, AC current clamp-on probe (0-5, 0-25, 0-100, 0-250 Amps). For SR & SRP loggers only.....	42	\$143.00
35-0006...	<b>AC Current Probe - 0 to 250 Amps, 50 Hz</b> User-selectable, 50 Hz, AC current clamp-on probe (0-5, 0-25, 0-100, 0-250 Amps). For SR & SRP loggers only.....	42	\$143.00
35-0005...	<b>AC Current Probe - 0 to 500 Amps, 60 Hz</b> User-selectable, 60 Hz, AC current clamp-on probe (0-10, 0-50, 0-250, 0-500 Amps). For SR & SRP loggers only.....	42	\$150.00
35-0007...	<b>AC Current Probe - 0 to 500 Amps, 50 Hz</b> User-selectable, 50 Hz, AC current clamp-on probe (0-10, 0-50, 0-250, 0-500 Amps). For SR & SRP loggers only.....	42	\$150.00

**Owl**

01-0000...	<b>AC Current Probe - 0-250A, 60Hz, Owl</b> User-selectable, 60 Hz, AC current clamp-on probe (0-5, 0-25, 0-100, 0-250 Amps). For Owl loggers only.....	42	\$173.00
01-0002...	<b>AC Current Probe - 0-250A, 50 Hz, Owl</b> User-selectable, 50 Hz, AC current clamp-on probe (0-5, 0-25, 0-100, 0-250 Amps). For Owl loggers only.....	42	\$173.00
01-0001...	<b>AC Current Probe - 0-500A, 60 Hz, Owl</b> User-selectable, 60 Hz, AC current clamp-on probe (0-10, 0-50, 0-250, 0-500 Amps). For Owl loggers only.....	42	\$180.00
01-0003...	<b>AC Current Probe - 0-500A, 50 Hz, Owl</b> User-selectable, 50 Hz, AC current clamp-on probe (0-10, 0-50, 0-250, 0-500 Amps). For Owl loggers only.....	42	\$180.00

**Accessories**

38-0001...	<b>CEU AC Current Line Splitter/Multiplier</b> Cont. Europe line splitter. Separates hot/neutral lines between electrical device and receptacle. Includes a 10X multiplier.....	42	\$42.00
------------	--	----	---------

**Electrical - Voltage**
**Catalog Page # List Price**
**SmartReader, SmartReader Plus, Owl**

35-0110...	<b>Single Phase Voltage Transducer</b> One output, 0-5 Volt transducer for logging single phase, 120 Volt, 60 Hz electrical systems. For loggers with a 0-5 Volt channel.....	42	\$331.00
35-0120...	<b>3 Phase Voltage Transducer</b> Three output, 0-5 Volt transducer for logging three phase, 600 Volt, 60 Hz electrical systems. For loggers with a 0-5 Volt channel.....	42	\$1,127.00

**Temperature - Thermistor Type**
**Catalog Page # List Price**
**SmartReader, SmartReader Plus**

35-0000...	<b>Therm Penetration Probe - Low Temp</b> Stainless steel, 3 1/2" penetration probe w/handle. Thermistor type. Range: -60° to 55°C (-75° to 130°F). Length: 10' (3 meters).....	40	\$168.00
35-0028...	<b>Therm Probe - Low Temp</b> Stainless steel, 1 X 3/16" probe. Thermistor type. Range: -60° to 55° (-75° to 130°F). Length: 20' (6 meters).....	40	\$87.00
35-0001...	<b>Therm Probe - Gen. Purpose Temp</b> Stainless Steel, 1 X 3/16" probe. Thermistor type. Range: -35° to 95°C (-30° to 200°F). Length: 20' (6 meters).....	40	\$87.00
35-0035...	<b>Waterproof Temperature Probe</b> Stainless Steel, 1 X 3/16" probe. Thermistor type. Range: -40° to 105°C (-40° to 221°F). Length: 20' (6 meters).....	40	\$119.00
35-0002...	<b>Therm-Probe - GP Tip - 80C - SR/SRP</b> Stainless Steel, 1 X 3/16" probe. Thermistor type. Range: 10° to 170°C (50° to 335°F). Length: 20' (6 meters).....	40	\$87.00
35-0003...	<b>Therm Probe - Oven Temp</b> Stainless steel, 1 X 3/16" probe. Thermistor type. Range: 70° to 255°C (155° to 490°F). Length: 20' (6 meters).....	40	\$87.00
35-0020...	<b>Skin Surface Therm Probe - Human Temp</b> Stainless steel, 1/3 X 9/64" probe. Thermistor type. Range: 20° to 40°C (68° to 104°F). Length: 5' (1.5 meters).....	40	\$87.00
35-0025...	<b>Pipe Surface Therm Probe - Gen. Purpose</b> Stainless steel, 1 X 3/16" probe. Thermistor type. Range: -35° to 95°C (-30° to 200°F). Length: 20' (6 meters).....	40	\$87.00

**Owl**

01-0005...	<b>Therm Penetration Probe (Owl) - Low Temp</b> Stainless steel, 3 1/2" penetration probe w/handle and Owl locking connector. Thermistor type. Range: -60° to 55°C (-75° to 130°F). Length: 3 meters (10').....	40	\$198.00
01-0038...	<b>Waterproof Therm Probe(Owl) - Gen. Purp</b> Stainless Steel, 1 X 3/16" waterproof probe (IP67 rated). Thermistor type. Range: -40° to 105°C (-40°F to 221°F). Length: 6 meters (20').....	40	\$141.00
01-0111...	<b>Therm Probe (Owl) - Low Temp</b> Stainless steel, 1 X 3/16" probe with Owl locking connector. Thermistor type. Range: -60° to 55°C (-75° to 130°F). Length: 6 meters (20').....	40	\$117.00
01-0004...	<b>Therm Probe (Owl) - Gen. Purpose Temp</b> Stainless steel, 1 X 3/16" probe with Owl locking connector. Thermistor type. Range: -35° to 95°C (-30° to 200°F). Length: 6 meters (20').....	40	\$117.00
01-0006...	<b>Therm Probe (Owl) - Medium Temp</b> Stainless steel, 1 X 3/16" probe with Owl locking connector. Thermistor type. Range: 10° to 170°C (50° to 335°F). Length: 6 meters (20').....	40	\$117.00
01-0007...	<b>Therm Probe (Owl) - High Temp</b> Stainless steel, 1 X 3/16" probe with Owl locking connector. Thermistor type. Range: 70° to 255°C (155° to 490°F). Length: 6 meters (20').....	40	\$117.00
01-0109...	<b>Skin Surf Therm Probe (Owl) - Human Temp</b> Stainless steel, 1/3 X 9/64" probe with Owl locking connector. Thermistor type. Range: 20° to 40°C (68° to 104°F). Length: 1.5 meters (5').....	40	\$117.00

01-0110...	<b>Pipe Surf Therm Probe (Owl) - General</b> Stainless steel, 1 X 3/16" probe with Owl locking connector. Thermistor type. Range: -35° to 95°C (-30° to 200°F). Length: 6 meters (20').....	40	\$117.00
------------	--	----	----------

## Temperature - Thermocouple Type

**Catalog Page # List Price**

### SmartReader, SmartReader Plus

31-0014...	<b>J Type Thermocouple Wire - Bulk Wire</b> 20 gauge J type thermocouple wire (bulk) with duplex insulated Teflon jacket. Range: -50° to 600°C (-55° to 1100°F). Sold by the foot.....	41	\$6.00
01-0102...	<b>J Type Thermocouple Wire - Welded Tip</b> Welded tip, 20 gauge J type thermocouple wire with duplex insulated Teflon jacket. Range: -50° to 600°C (-55° to 1100°F). 12" length.....	41	\$12.00
31-0015...	<b>K Type Thermocouple Wire - Bulk Wire</b> 20 gauge K type thermocouple wire (bulk) with duplex insulated Teflon jacket. Range: -100° to 1150°C (-145° to 2100°F). Sold by the foot.....	41	\$6.00
01-0103...	<b>K Type Thermocouple Wire - Welded Tip</b> Welded tip, 20 gauge K type thermocouple wire with duplex insulated Teflon jacket. Range: -100° to 1150°C (-145° to 2100°F). 12" length.....	41	\$12.00
31-0016...	<b>T Type Thermocouple Wire - Bulk Wire</b> 20 gauge T type thermocouple wire (bulk) with duplex insulated PVC jacket. Range: -200° to 400°C (-325° to 750°F). Sold by the foot.....	41	\$6.00
01-0104...	<b>T Type Thermocouple Wire - Welded Tip</b> Welded tip, 20 gauge T type thermocouple wire with duplex insulated PVC jacket. Range: -200° to 400°C (-325° to 750°F). 12" length.....	41	\$12.00

### Tip Welding Service

89-0003...	<b>Thermocouple Tip Welding Service</b> One end welded. Customer must supply or order thermocouple cable separately.....	41	\$25.00
------------	---	----	---------

## Relative Humidity

**Catalog Page # List Price**

### SmartReader, SmartReader Plus

01-0040...	<b>RH/Temp External Probe</b> Remote relative humidity/temperature probe. Range: 10 to 90% RH over a -20° to 40°C (-4° to 104°F).....	41	\$239.00
35-0009...	<b>RH Replacement Sensor - Post 20,000</b> Replacement relative humidity/temperature sensor. Range: 10 to 90% RH over a -20° to 40°C (-4° to 104°F). For loggers and probes.....	41	\$125.00

## Pressure

**Catalog Page # List Price**

### SmartReader

01-0045...	<b>Pressure Module - 0 to 5 PSI-G</b> SmartReader 4 Pressure Module (0 to 5 PSI Gauge).....	43	\$239.00
01-0046...	<b>Pressure Module - 0 to 30 PSI-A</b> SmartReader 4 Pressure Module (0 to 30 PSI Absolute).....	43	\$239.00
01-0047...	<b>Pressure Module - 0 to 30 PSI-G</b> SmartReader 4 Pressure Module (0 to 30 PSI Gauge).....	43	\$239.00
01-0048...	<b>Pressure Module - 0 to 100 PSI-A</b> SmartReader 4 Pressure Module (0 to 100 PSI Absolute).....	43	\$239.00
01-0049...	<b>Pressure Module - 0 to 100 PSI-G</b> SmartReader 4 Pressure Module (0 to 100 PSI Gauge).....	43	\$239.00
01-0086...	<b>Pressure Module - 0 to 150 PSI-G</b> SmartReader 4 Pressure Module (0 to 150 PSI Gauge).....	43	\$239.00

### Accessories

30-0004...	<b>1/4" Pressure Hose - Standard Pressure</b> 0-75 PSI flexible hose. Size: OD: 6.35mm (0.25"), ID: 3.0mm (0.12"). Temperature range: -15° to 60°C (-4° to 140°F). Sold in feet. ....	43	\$1.00
30-0006...	<b>1/4" Pressure Hose - High Pressure</b> 0-150 PSI flexible hose. Size: OD: 6.35mm (0.25"). ID: 3.0mm (0.12"). Temperature range: -15° to 60°C (-4° to 140°F). Sold in feet.....	43	\$1.00

## Sensor Wiring Extensions

**Catalog Page # List Price**

### Custom 2 - Wire Sensor Cable

31-0007...	<b>Stereo Logger Network Cable (Bulk)</b> Shielded 2 wire stereo cable. Compatible with SmartReader and SmartReader Plus Networks. Sold in feet.....	43	\$0.28
89-0004...	<b>Sensor 2 Lead Extension Connection</b> One end connected to existing sensor and protected with heatshrink. Other end stripped and tinned.....	n/a	\$25.00

### Custom 3 - Wire Sensor Cable

31-0006...	<b>3-Wire + Shield Sensor Cable (Bulk)</b> Shielded 3 wire stereo cable. Suitable for ACR RH/Temperature sensors. Sold in feet.....	43	\$0.28
89-0005...	<b>Sensor 3 Lead Extension Connection</b> One end connected to existing sensor and protected with heatshrink. Other end stripped and tinned.....	n/a	\$30.00

**Custom Owl 2 - Wire Sensor Cable**

31-0003...	<b>Owl External Sensor Cable</b> 2 wire Owl sensor cable. Molded IP-67 Owl female connector and the other end has stripped leads. Length: 6' (2 meters).....	43	\$18.00
31-0007...	<b>Stereo Logger Network Cable (Bulk)</b> Shielded 2 wire stereo cable. Compatible with SmartReader and SmartReader Plus Networks. Sold in feet.....	43	\$0.28
89-0004...	<b>Sensor 2 Lead Extension Connection</b> One end connected to existing sensor and protected with heatshrink. Other end stripped and tinned.....	n/a	\$25.00



**Mounting Hardware**

**Catalog Page # List Price**

**SmartButton**

45-0000...	<b>Plastic Plate Mount - SmartButton</b> Permanent, rust-proof, plastic mount plate for SmartButton loggers.....	47	\$3.50
45-0002...	<b>Angled Plastic Plate Mount - SmartButton</b> Permanent, rust-proof, angled plastic mount plate for SmartButton loggers.....	47	\$3.50
45-0001...	<b>ID Tag - SmartButton</b> Plastic identification mounting tag for SmartButton loggers.....	47	\$2.50
45-0003...	<b>Adhesive - SmartButton</b> Pre-cut adhesive tape for SmartButton loggers.....	47	\$2.50
45-0005...	<b>Flanged Plastic Fob - SmartButton</b> Straight plastic key fob - Black.....	47	\$3.50

**Display Modules**

**Catalog Page # List Price**

**SRP Display Modules**

01-0171...	<b>SmartReader Plus Display Module</b> Portable Real-time Display Module for any SmartReader Plus Data Logger (2 AA batteries and 1 foot cable included).....	39	\$519.00
------------	--	----	----------

**Environmental Protection**

**Catalog Page # List Price**

**General**

01-0057...	<b>Weatherproof Logger Box</b> NEMA 4X clear-faced weatherproof box for all ACR loggers, Size: 127 x 127 x 76mm (5" x 5" x 3").....	46	\$107.00
21-0011...	<b>Weatherproof Box Self-Sealing Connectors</b> Additional self-sealing connectors for the Weatherproof Logger Box.....	46	\$6.00

**JR**

21-0032...	<b>JR Series/IC-101 Protective Cap (RoHS)</b> Plastic plug for protecting the JR logger 9-pin communication port from debris and contaminants. Also compatible with IC-101 cables.....	46	\$5.00
------------	---	----	--------

**SmartReader, SmartReader Plus**

27-0027...	<b>Logger Protective Sock</b> Protective Gortex® sock for protecting loggers from debris and contaminants. Ideal for relative humidity loggers and probes.....	46	\$35.00
21-0029...	<b>SmartReader Family Protective Cap</b> Plastic plug for protecting the SmartReader/SmartReader Plus communication port from debris and contaminants.....	46	\$3.00

**Alarms**

**Catalog Page # List Price**

**SmartReader Plus**

01-0167...	<b>Alarm Module - 100 - NA</b> Alarm module, stereo Y-adapter, 1' male-male stereo cable, and 120 V NA power supply for SmartReader Plus loggers.....	39	\$329.00
01-0168...	<b>Alarm Module - 100 - EU</b> Alarm module, stereo Y-adapter, 1' male-male stereo cable, and 240 V Cont. Europe power supply for SmartReader Plus loggers.....	14	\$329.00

**Adapters and Connectors**

**Catalog Page # List Price**

**PowerWatch**

21-0043...	<b>PowerWatch Adapter - 240V Chilean</b> Converts PowerWatch 240 Volt with European Shuko to 240 Volt Chilean receptacle.....	46	\$30.00
21-0039...	<b>PowerWatch Adapter - 240V North American</b> Converts PowerWatch 240 Volt with European Shuko to North American 240 Volt receptacle.....	46	\$30.00
21-0040...	<b>PowerWatch Adapter - 240V Swiss</b> Converts PowerWatch 240 Volt with European Shuko to Swiss 240 Volt receptacle.....	47	\$30.00

**SmartReader, SmartReader Plus**

29-0004...	<b>Terminal Block - 11 Pin (RoHS)</b> 11-pin female terminal block for SmartReader/SmartReader Plus sensor inputs.....	44	\$14.00
29-0000...	<b>Terminal Block - 9 Pin</b> 9-pin female terminal block for SmartReader/SmartReader Plus loggers with RH and pressure sensor inputs.....	n/a	\$14.00

<b>Hose</b>		<b>Catalog Page #</b>	<b>List Price</b>
<b>SmartReader, SmartReader Plus</b>			
30-0004...	<b>1/4" Pressure Hose - Standard Pressure</b> 0-75 PSI flexible hose. Size: OD: 6.35mm (0.25"), ID: 3.0mm (0.12"). Temperature range: -15° to 60°C (-4° to 140°F). Sold in feet.....	43	\$1.00
30-0006...	<b>1/4" Pressure Hose - High Pressure</b> 0-150 PSI flexible hose. Size: OD: 6.35mm (0.25"). ID: 3.0mm (0.12"). Temperature range: -15° to 60°C (-4° to 140°F). Sold in feet.....	43	\$1.00

<b>Storage</b>		<b>Catalog Page #</b>	<b>List Price</b>
<b>General</b>			
01-0106...	<b>General Purpose Logger Storage Case</b> Briefcase style, locking, customizable logger and accessory storage case.....	47	\$155.00

<b>Wiring</b>		<b>Catalog Page #</b>	<b>List Price</b>
<b>SmartReader, SmartReader Plus</b>			
29-0013...	<b>Terminal Block Strain Relief (RoHS)</b> Strain relief for sensors attached to SmartReader/SmartReader Plus 11-pin terminal blocks.....	44	\$15.00
<b>Owl</b>			
31-0003...	<b>Owl External Sensor Cable</b> 2 wire Owl sensor cable. Molded IP-67 Owl female connector and the other end has stripped leads. Length: 6' (2 meters).....	43	\$18.00
<b>IAQ</b>			
01-0339...	<b>IAQ Harness for 8 Bit Data Logger</b> Strain relief Telair RJ-45 to logger 11-pin terminal block, 1-ft flexible cable.....	n/a	\$60.00
01-0334...	<b>IAQ Harness for 12 Bit Data Logger</b> Strain relief Telair RJ-45 to logger 9-pin terminal block, 1-ft flexible cable.....	n/a	\$60.00

<b>Power Supplies</b>		<b>Catalog Page #</b>	<b>List Price</b>
<b>SmartReader Plus</b>			
01-0078...	<b>Fast Sampling Battery Pack - 101</b> Portable power supply for SmartReader Plus data loggers to allow them to sample faster than 8 seconds.....	47	\$54.00
01-0165...	<b>Net/Fast Sample Power Supply - 120V N/A</b> 120V AC to 5V DC power supply for use with SmartReader Plus networks with minimum of three loggers or 50' of network cable.....	45	\$66.00
01-0164...	<b>Net/Fast Sample Power Supply - 220V EU</b> 220V AC to 5V DC power supply for use with SmartReader Plus networks with minimum of three loggers or 50' of network cable.....	45	\$76.00
<b>SmartReader Plus Display Module</b>			
33-0015...	<b>Power Supply 12V with N. America Plug</b> North American Power Supply for SmartReader Plus Display Module.....	n/a	\$57.00
33-0016...	<b>Power Supply 12V with Shuko Plug</b> .....	n/a	\$57.00
33-0017...	<b>Power Supply 12V with U.K. Plug</b> .....	n/a	\$57.00
33-0019...	<b>Power Supply 12V with 4 Plug Kit</b> .....	n/a	\$57.00
33-0014...	<b>Power Supply 12V with Australia Plug</b> Australian power supply for SmartReader Plus Display Module.....	n/a	\$69.00

<b>Batteries</b>		<b>Catalog Page #</b>	<b>List Price</b>
89-0006...	<b>Battery Replacement</b> .....	n/a	Call For Price



**Single Channel Calibration**

**Catalog Page #    List Price**

**SmartReader 1**

90-0054... <b>Single Channel Calibration</b>	n/a	\$150.00
Calibration of the internal temperature sensor only.....		

**Miscellaneous Calibration**

**Catalog Page #    List Price**

**SmartReader Plus 1**

90-0108... <b>Misc. Calibration Services</b>	n/a	Call For Price
Call for any custom calibration requirements.....		



## ACR Data Loggers

**Catalog Page #    List Price**

### SmartReader

#### 01-0292... SmartReader 2 - Upgrade (RH Only)

Upgrade a pre-20,000 serial # SmartReader 2 internal RH channel to post-20,000 serial # style RH sensor..... n/a    \$270.00